| Application No.   | Applicant(s)   |   |  |
|---|--|---|--|
| 09/970.552  | JOLLY, MARIF-PIE   | JOLLY, MARIE-PIERRE   |  |
| Examiner  | Art Unit   |   |  |
| Shervin Nakhjavan   | 2621   |   |  |
| (OR REMAINS) CLOSED in<br>or other appropriate commu<br>GHTS. This application is s   | ithis application. If not including in this application will be mailed in due  | led<br>course. <b>THIS</b>  |  |
|   |  |   |  |
|   |  |   |  |
| e Examiner.   |  |   |  |
| been received. been received in Applicatio  | n No   | ation from the  |  |
| of this communication to file<br>ENT of this application.   | a reply complying with the re  | equirements   |  |
|   |  | NOTICE OF   |  |
| on's Patent Drawing Review  Amendment / Comment or  84(c)) should be written on the   | in the Office action of  | e back) of  |  |
| 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. |  |   |  |
| 6. ☐ Interview Su<br>Paper No./l<br>8), 7. ☑ Examiner's a<br>8. ☑ Examiner's a  | ummary (PTO-413),<br>Mail Date<br>Amendment/Comment<br>Statement of Reasons for Allo   | ,   |  |
|   | Examiner  Shervin Nakhjavan  Pars on the cover sheet wing (OR REMAINS) CLOSED in or other appropriate communication is so and MPEP 1308.  Be Examiner.  The der 35 U.S.C. § 119(a)-(d) of the sheen received in Application cuments have been received in Application.  The der the attached EXA is reason(s) why the oath or the submitted.  The header according to 37 CF is a sheet of BIOLOGICAL MATER FOR THE DEPOSIT OF BIOLOGICAL MATER FOR THE PARTER FOR THE | O9/970,552  Examiner  Shervin Nakhjavan  2621  Art Unit  Art Unit  2621  Art Unit  Art Unit  2621  Art Unit  400  Art Hert Application Art Unit  Art Unit  Art Unit  2621  Art Unit  400  Art Unit |  |

Application/Control Number: 09/970,552

Art Unit: 2621

#### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. The numbering of claims 11-22 is not in accordance with 37 CFR 1.126 which requires the original numbering of the claims to be preserved throughout the prosecution. Claims must be numbered consecutively beginning with the number next following the highest numbered claims previously presented. Misnumbered claims 11-22 have been renumbered as 10-21. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Claim 11, Line 1, change "11." to read --10.--;

Claim 12, Line 1, change "12." to read --11.--;

Claim 13, Line 1, change "13." To read -12--;

Claim 13, Line 1, change "claim 12," to read –claim 11,--;

Claim 14, Line 1, change "14." to read –13.--;

Claim 14, Line 1, change "claim 12," to read —claim 11,--:

Claim 15, Line 1, change "15." to read -14.--;

Claim 15, Line 1, change "claim 14," to read -claim 13,--;

Claim 16, Line 1, change "16." to read –15.--;

Claim 16, Line 1, change "claim 12," to read -claim 11,--;

Claim 17, Line 1, change "17." to read –16.--;

Application/Control Number: 09/970,552

Art Unit: 2621

```
Claim 17, Line 1, change "claim 12," to read –claim 11,--;
```

Claim 18, Line 1, change "18." to read –17.--;

Claim 18, Line 1, change "claim 12," to read --claim 11,--;

Claim 19, Line 1, change "19." to read -18.--;

Claim 19, Line 1, change "claim 18," to read -claim 17,--;

Claim 20, Line 1, change "20." to read -19.--;

Claim 20, Line 1, change "claim 12," to read -claim 11,--;

Claim 21, Line 1, change "21." to read -20.--;

Claim 21, Line 1, change "claim 12," to read -claim 11,--;

Claim 22, Line 1, change "22." to read -21.--.

### **REASONS FOR ALLOWANCE**

2. The following is an examiner's statement of reasons for allowance: claims 1-21 are allowed because, the prior art of record specifically Levin et al. (US 5,768,413) does not teach, determining a myocardium contour according to graph cut of candidate endocardium contours, and a spline fitting to candidate epicardium contours in the absence of shape propagation and applying a plurality of shape constraints to the candidate endocardium contours and the candidate epicardium contours, to determine the myocardium contour, wherein a template is determined by shape propagation of a plurality of magnetic resonance images in a sequence including the magnetic resonance image of interest, in the presence of shape propagation of claims 1, 11 and 21, and determining a plurality of candidate contours, according to a plurality of energy

Art Unit: 2621

functions, to which a plurality of confidence values are assigned and applying a plurality of shape constraints to the candidate endocardium contours and the candidte epicardium contours to determine a myocardium contour of claim 2, combined with other features and elements of the claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

# Other prior art cited

3. Prior art of record cited and not relied upon is considered pertinent to applicant's disclosure.

The US Patent 6,757,423 and US Patent 6,708,055 variously teach contour detection related to applicant's invention as claimed.

#### Contact information

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shervin Nakhjavan whose telephone number is (703) 306-5916. The examiner can normally be reached on Monday through Friday from 8:00 am to 5:30 pm. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Leo Boudreau, can be reached at (703) 305-4706.

# Any response to this action should be mailed to:

Assistant Commissioner for Patents Washington, DC 20231

## Or faxed to:

Art Unit: 2621

(703) 872-9306 for *formal* communications, please mark "EXPEDITED PROCEDURE"

or:

for *informal* or *draft* communications; please label "PROPOSED" or "DRAFT".

**Hand delivered responses** should be brought to Crystal Park 2, 2121 Crystal drive, Arlington, VA, sixth floor (Receptionist).

Any inquiry of a general nature or relating to the status of this application should be directed to the Tech center 2700 customer service office (703) 306-0377.

Shervin Nakhjavan 5 N Patent Examiner Group Art Unit 2621 November 26, 2004.

ANDREW W. JOHNS
PRIMARY EXAMINER